



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**

REGION 2

290 BROADWAY

NEW YORK, NY 10007-1866

**OCT 26 2015**

**CERTIFIED MAIL - RETURN RECEIPT REQUESTED**

**Article Number: 7015 1520 0003 0792 2415**

Hon. Sergio Torres  
Alcalde de Corozal  
Calle Cervantes # 9  
Corozal, Puerto Rico 00783

Re: Underground Injection Control (UIC) Program Regulation  
Taller de Obras Públicas de Corozal  
c/o Alcaldía de Corozal  
Calle Cervantes # 9  
Corozal, Puerto Rico 00783

Information Request Extension - Docket No. : SDWA-UIC-IR-15-146

Dear Mr. Torres:

This letter is in response to your request for an extension to the time allotted to submit data which will assist in determining whether the Taller de Obras Públicas de Corozal is operating a motor vehicle waste disposal well that may be endangering an underground source of drinking water subject to EPA jurisdiction under the SDWA.


EPA hereby grants you an extension of 60 extra days until November 16, 2015 for the completion of your submittal.

Failure to respond to this letter truthfully and accurately within the time provided may subject you to sanctions authorized by federal law. Please also note that all information submitted by you may be used in an administrative, civil judicial, or criminal action. In addition, making a knowing submission of materially false information to the U.S. Government may be a criminal offense. Please submit all correspondence to the following address:

Nicole Foley Kraft, Chief  
Ground Water Compliance Section  
U.S Environmental Protection Agency  
290 Broadway, 20<sup>th</sup> Floor  
New York, N.Y. 10007  
Re: Docket No. : SDWA-UIC-IR-15-146  
Attn: Nonny Ortega

If you have any questions please contact Nonny Ortega of my staff at (212) 637-4234.

Sincerely,

A handwritten signature in blue ink, appearing to read "Nicole Foley Kraft", with a stylized flourish at the end.

Nicole Foley Kraft, Chief  
Ground Water Compliance Section

cc: Wanda García Hernández  
Water Quality Area  
Puerto Rico Environmental Quality Board  
P. O. Box 11488  
San Juan, Puerto Rico 00910

Héctor Arroyo Rivera  
Water Quality Area  
Puerto Rico Environmental Quality Board  
P. O. Box 11488  
San Juan, Puerto Rico 00910